



Reliable Home Inspection Service

(610) 388-7911 PA

(410) 392-2200 MD

(877) 993-9100

Water Test Price List (Maryland Only)

Please Note: We cannot select a water test for you but we offer these recommendations. At minimum, you should request what was required by the local government when the well was new and also verify with your mortgage company that the test will satisfy the requirements for your mortgage.

Please allow three to five business days for results (starting the day after the water was drawn).

The water tests listed below are a sampling of available tests.

If you need to test for any other items, please call us at 302-993-9100 or reach out to us via email at ReliableHomeInspections1@gmail.com.

Testing Packages

Maryland Water Testing Package A: \$240

Total Coliform Bacteria
Fecal Coliform Bacteria
Nitrate as Nitrogen
Nitrite as Nitrogen

Turbidity
Iron
Free and Total Chlorine
pH (Acidity)

Maryland Water Testing Package B: \$265

Total Coliform Bacteria
Fecal Coliform Bacteria
Nitrate as Nitrogen
Nitrite as Nitrogen
Turbidity

Iron
1st Draw Lead
Fluoride
Free and Total Chlorine
pH (Acidity)

Maryland Water Testing Package C: \$295

Total Coliform Bacteria
Fecal Coliform Bacteria
Nitrate as Nitrogen
Nitrite as Nitrogen
Turbidity

Iron
1st Draw Lead
1st Draw Copper
Free and Total Chlorine
pH (Acidity)



Reliable Home Inspection Service

(610) 388-7911 PA

(410) 392-2200 MD

(877) 993-9100

Quantitative Bacteria Package: \$190

Total Coliform Bacteria
Fecal Coliform Bacteria (including E.coli)

VOC Package (Volatile Organic Compounds): \$495

26 Regulated Compounds
33 Unregulated Compounds

Comprehensive Metal Profile Package: \$675

Aluminum	Lead	Mercury
Antimony	Magnesium	Hardness (Total)
Arsenic	Manganese	Hardness as CaCO ₃
Barium	Nickel	Hardness as MgCO ₃
Beryllium	Potassium	Fluoride
Cadmium	Selenium	Chlorine (Free and Total)
Calcium	Silver	Silica
Chromium	Sodium	Sulfide
Copper	Thallium	
Iron	Zinc	

You may add an individual metal profile to any other package for the cost of **\$75 per metal** tested.